

## Prolungatori in PVC di tipo T con spina e presa in miniatura (IEC)



**TYPE-T**



**TYPE-T**

Labfacility are the UK's leading manufacturer of Temperature Sensors, Thermocouple Connectors and associated Temperature Instrumentation and stockings of Thermocouple Cables. The Company has been trading since 1971 and is ISO9001 accredited.

Specifiche

Costruzione cavi: Single pair 7/0.2

Cavo / filo isolato in PVC

Stenduti in piano, affiancato a fianco e rivestiti in PVC

Classe di tolleranza 2

Classificazione di isolamento da -10 a 105C

IEC codificato a colori

Connettori in miniatura

Connettore in miniatura con perni piatti per la spina

Porta miniatura con contatti termocoppia

I contatti sono polarizzati per evitare connessioni errate

Temperatura massima 220C

IEC codificato a colori

## Specifications

<b>General Description</b>	Good general purpose insulation for 'light' environments. Waterproof and very flexible.
<b>Cable Length</b>	2M, 5M, 10M, 15M
<b>Cable Type</b>	Flat Pair Construction
<b>Connector Type</b>	Thermocouple Plug & Socket
<b>Connector Size</b>	Miniature
<b>Core / Strands</b>	7/0.2mm
<b>Conductor Cross Section 7/0.2 (mm<sup>2</sup>)</b>	0.219
<b>Outer Colour</b>	Brown

<b>Drain Wire</b>	No
<b>Insulation Material</b>	PVC Insulated
<b>Loop Resistance 7/0.2 (Ohms per combined metre)</b>	4.5
<b>Max. Temperature</b>	+105°C
<b>Min. Temperature</b>	-10°C
<b>+ Conductor</b>	Copper
<b>- Conductor</b>	Constantan
<b>Screen</b>	No
<b>Standards Met</b>	Colour code (cores & jacket) to IEC-584-3
<b>Thermocouple Type</b>	T
<b>Termination Type</b>	Miniature Thermocouple Plug and Socket
<b>Tolerance</b>	Class 2