


## Prolunga PVC di tipo K con spina e presa standard (IEC)



**TYPE-K**



**TYPE-K**

Labfacility are the UK's leading manufacturer of Temperature Sensors, Thermocouple Connectors and associated Temperature Instrumentation and stockings of Thermocouple Cables. The Company has been trading since 1971 and is ISO9001 accredited.

**Specifiche**

Costruzione cavi: Single pair 7/0.2

Cavo / filo isolato in PVC

Stenduti in piano, affiancato a fianco e rivestiti in PVC

Classe di tolleranza 2

Classificazione di isolamento da -10 a 105C

IEC codificato a colori

Connettori standard

Connettore standard con perni a spina solidi e rotondi

Presca standard con contatti termocoppie

Adatto per applicazioni industriali

I contatti sono polarizzati per evitare connessioni errate

Temperatura massima 220C

IEC codificato a colori

**Specifications**

<b>General Description</b>	Good general purpose insulation for 'light' environments. Waterproof and very flexible.
<b>Cable Length</b>	2M, 5M, 10M, 15M
<b>Cable Type</b>	Flat Pair Construction
<b>Connector Type</b>	Thermocouple Plug & Socket
<b>Connector Size</b>	Standard
<b>Core / Strands</b>	7/0.2mm
<b>Conductor Cross Section 7/0.2 (mm<sup>2</sup>)</b>	0.219

<b>Outer Colour</b>	Green
<b>Drain Wire</b>	No
<b>Insulation Material</b>	PVC Insulated
<b>Loop Resistance 7/0.2 (Ohms per combined metre)</b>	4.5
<b>Max. Temperature</b>	105°C
<b>Min. Temperature</b>	-10°C
<b>+ Conductor</b>	Nickel Chromium
<b>- Conductor</b>	Nickel Aluminium
<b>Screen</b>	No
<b>Standards Met</b>	Colour code (cores & jacket) to IEC-584-3
<b>Thermocouple Type</b>	K
<b>Termination Type</b>	Standard Thermocouple Plug and Socket
<b>Tolerance</b>	Class 2