



# LABFACILITY

TEMPERATURE & PROCESS TECHNOLOGY

## **Termocoppia IEC a isolamento minerale con connettore maschio standard - Tipo N - 3,0 mm x 250 mm**



Labfacility are the UK's leading manufacturer of Temperature Sensors, Thermocouple Connectors and associated Temperature Instrumentation and stockings of Thermocouple Cables. The Company has been trading since 1971 and is ISO9001 accredited.

**Hai bisogno di calibrare il tuo sensore di temperatura?**

Tracciabile secondo gli standard di calibrazione ISO17025 (UKAS), Labfacility offre la possibilità di scegliere tra una calibrazione tracciabile a 3 o 5 punti utilizzando la nostra struttura di calibrazione interna.

**Tieni presente che se aggiungi un'opzione di calibrazione al tuo ordine, verrai contattato per informazioni sulla consegna.**

**Indicazioni****Specifications**

|                             |                                                                                                        |
|-----------------------------|--------------------------------------------------------------------------------------------------------|
| <b>Product Code</b>         | XE-3745-001                                                                                            |
| <b>General Description</b>  | Highly flexible, sheath can be bent/formed to suit many applications and processes                     |
| <b>Sensor Type</b>          | Mineral Insulated                                                                                      |
| <b>Thermocouple Type</b>    | N                                                                                                      |
| <b>Element/hot junction</b> | Single element, junction insulated from sheath (offers protection against spurious electrical signals) |
| <b>Probe Diameter</b>       | 3.0mm                                                                                                  |
| <b>Probe Length</b>         | 250mm                                                                                                  |
| <b>Sheath Material</b>      | Nicrosil                                                                                               |
| <b>Termination Type</b>     | Standard round pin plug, colour coded in accordance IEC 584-3                                          |
| <b>Max. Temperature</b>     | 1300°C                                                                                                 |
| <b>Min. Temperature</b>     | -100°C                                                                                                 |
| <b>Standards Met</b>        | In accordance with IEC 584-1&2                                                                         |
| <b>Connector Type</b>       | Plug                                                                                                   |



|                |          |
|----------------|----------|
| Connector Size | Standard |
| Colour         | Pink     |