




LABFACILITY

TEMPERATURE & PROCESS TECHNOLOGY

Termocoppia a giunzione esposta IEC Doppia intrecciata isolata in PFA con spina stampata - Tipo T - 1/0,2 mm - Lunghezza 1 m



Labfacility are the UK's leading manufacturer of Temperature Sensors, Thermocouple Connectors and associated Temperature Instrumentation and stockings of Thermocouple Cables. The Company has been trading since 1971 and is ISO9001 accredited.

Il connettore maschio sagomato offre una struttura robusta e fornisce una terminazione impermeabile.

Hai bisogno di calibrare il tuo sensore di temperatura?

Tracciabile secondo gli standard di calibrazione ISO17025 (UKAS), Labfacility offre la possibilità di scegliere tra una calibrazione tracciabile a 3 o 5 punti utilizzando la nostra funzione di calibrazione interna, possibile selezionare qualsiasi punto di temperatura tra -10°C e +200°C.

Tieni presente che se aggiungi un'opzione di calibrazione al tuo ordine, verrai contattato per informazioni sulla consegna

Indicazioni

Specifications

Product Code	XE-0029-001
General Description	Good mechanical strength and flexibility, resistant to oils, acids and other adverse fluids, gasses, steam etc.
Sensor Type	Exposed Junction
Thermocouple Type	T
Cable Length	1M
Cable Type	PFA insulated conductors twisted together
Core / Strands	1/0.2mm
Termination Type	Miniature moulded flat pin plug, colour coded 'green' in accordance IEC specification
Max. Temperature	260°C
Min. Temperature	-75°C
Tolerance	Class 1
Standards Met	Colour code (cores & jacket) to IEC-584-3



Connector Type	Plug
Connector Size	Miniature