
Termometro Legionella con timer integrato per la temperatura dell'acqua





Labfacility are the UK's leading manufacturer of Temperature Sensors, Thermocouple Connectors and associated Temperature Instrumentation and stockings of Thermocouple Cables. The Company has been trading since 1971 and is ISO9001 accredited.

LABFACILITY
TEMPERATURE & PROCESS TECHNOLOGY

Datasheet

Termometro a ingresso singolo MM2008 con timer integrato da 1 minuto e 2 minuti.

Questo termometro stato sviluppato principalmente per la gestione del rischio di Legionella e offre la sicurezza che la temperatura corretta viene rilevata nel monitoraggio delle temperature dell'acqua calda e fredda.

Caratteristiche

Termocoppia a ingresso singolo

Timer integrale per il conto alla rovescia di 1 e 2 minuti

Intervallo di misurazione: -200 a +1.372C (dipende dal tipo di sonda)

Accuratezza: - 0,1% della lettura 0,2C

C/F selezionabile

Involucro impermeabile IP67

Indicazione batteria scarica

Tipi di termocoppia selezionabili: K & T

Autocalibrazione

Stivale in gomma incluso per una protezione extra dai danni

Include 1 batteria PP3

Richiede: una sonda/sensore termocoppia

Specifiche

Specifications

Product Code	XE-4091-001
General Description	Measurement Range: -200 to +1,372°C (probe type dependant)
Type	Single input Thermometer with an integral 1 minute & 2 minute timer
Accuracy	± 0.1% of Reading ± 0.2°C
Readings	C/F Selectable
Power Consumption	Low Battery Indication
Power Supply	Includes 1 x PP3 Battery

Standards Met	IP67 Waterproof Casing
Thermocouple Type	K & T
Thermometer	Self-Calibrating
Termination Type	Requires a Thermocouple Probe/Sensor
Accessories	Rubber Boot included for extra protection against damage