

## Termometro per lavastoviglie DishTemp Blue



Labfacility are the UK's leading manufacturer of Temperature Sensors, Thermocouple Connectors and associated Temperature Instrumentation and stockings of Thermocouple Cables. The Company has been trading since 1971 and is ISO9001 accredited.

DishTemp Termometro Bluetooth blu per lavastoviglie LE
 

- Simula temperature massime superficiali delle piattine
- Impermeabile fino a IP66
- HACCP
- FREE certificato di calibrazione tracciabile a 1 punto a 71C

 Ora disponibile come modello Bluetooth la DishTemp Blue Dishwasher Il termometro trasmette i dati della temperatura al tuo dispositivo wireless iOS, Android o Bluetooth tramite una connessione sicura fino a 6 metri.

Progettato specificamente per risparmiare tempo, carta ed eliminare errori umani durante la registrazione dei cicli di temperatura. Il DishTemp Blue simula un piatto mentre viene pulito e sanificato in una lavastoviglie commerciale, registrando con precisione la temperatura massima superficiale con la pressione di un solo pulsante, eliminando la necessit di costosi e imprecisi strisci reattivi e termometri a stelo che non restano in posizione o non registrano la temperatura superficiale di un piatto.

Progettato per resistere all'uso quotidiano nelle cucine professionali, il termometro per lavastoviglie DishTemp Blue indica temperature nell'intervallo da 0 a 90 C con una risoluzione di 0,1 C/F e un'accuratezza di 0,5 C.

Incorporando una tenuta impermeabile durevole, il DishTemp Blue fornito completo di un certificato di calibrazione tracciabile GRATUITO a 1 punto @ 71C

## Specifications

<b>Product Code</b>	XE-3935-001
<b>Model</b>	DishTemp Blue Dishwasher Thermometer
<b>Type</b>	Celsius/Fahrenheit
<b>Communications Protocol</b>	Bluetooth LE
<b>Accuracy</b>	+/-0.5°C
<b>Resolution</b>	0.1 °C/°F
<b>Battery</b>	3 volt CR2032 lithium coin cell - 40 hours life
<b>Dimensions</b>	14 x O127mm
<b>Display Type</b>	Custom LCD
<b>Temperature Range</b>	0 to 90°C
<b>Weight</b>	120 grams
<b>Calibration</b>	FREE 1-point traceable calibration certificate at 71°C
<b>Standards Met</b>	IP66
<b>Thermocouple Type</b>	K
<b>Construction</b>	ABS plastic
<b>Guarantee</b>	1 Year



**Important Information**

Please note that certificates supplied do not display an expiry date. They state the date the item was manufactured. The frequency of recalibration is determined by each customer's specific application requirements and internal quality procedures.