

Pannello in alluminio per connettore termocoppia con prese standard ANSI Type J - 3 vie



Labfacility are the UK's leading manufacturer of Temperature Sensors, Thermocouple Connectors and associated Temperature Instrumentation and stockings of Thermocouple Cables. The Company has been trading since 1971 and is ISO9001 accredited.

Pannelli di connettore standard per termocoppia preassemblati

Un assemblaggio standard di pannelli orizzontali preassemblato, progettato per l'uso con termocoppie o cavi con spine standard. Robusto e perfetto per essere montato in sale di controllo, banchi di prova, applicazioni di laboratorio, sale di controllo e altro ancora. Supportano codici di calibrazione tra cui K, J, T con prese a filo rapido e possono ospitare circuiti a 1-24 vie, con un intervallo massimo di temperatura fino a +120C.

Fornito gi equipaggiato con

[precavi standard per fascia](#)

Circuito a 3 vie

Calibrazione ANSI di tipo J

Temperatura massima 120C

Applicazioni tipiche

OEM

Costruttori di pannelli strumentali

Sale di controllo

Banc di prova e pattini

Specifications

Product Code	XE-7467-001
General Description	Accepts standard round pin plug connector. Nylon clip for quick, simple fixing to panel.
Thermocouple Type	J ANSI
Number of Ways	3 Way
Connector Size	Standard
Connector Type	Fascia Mounting Socket
Colour	Black
Dimensions	H66mm x W88mm



LABFACILITY

TEMPERATURE & PROCESS TECHNOLOGY

Max. Temperature	120°C
+Positive Contact	Iron
-Negative Contact	Copper Nickel
Standards Met	BS EN 50212:1997. RoHS