Pannello in alluminio per connettore termocoppia con prese miniature JIS di tipo K - 24 vie

Labfacility are the UK's leading manufacturer of Temperature Sensors, Thermocouple Connectors and associated Temperature Instrumentation and stockings of Thermocouple Cables. The Company has been trading since 1971 and is ISO9001 accredited.

LABFACILITY
TEMPERATURE & PROCESS TECHNOLOGY

Datasheet

Pannelli di connettore per termocoppia miniatura preassemblati

Un assemblaggio di pannelli orizzontali miniatura preassemblato, progettato per l'uso con termocoppie o cavi con spine in miniatura. Robusto e perfetto per essere montato in sale di controllo, bancchi di prova, applicazioni di laboratorio, sale di controllo e altro ancora. Supportano il codice di calibrazione K con prese a filo rapido e possono accogliere circuiti a 1-24 vie, con un intervallo massimo di temperatura fino a +120C.

Fornito preinstallato con [prefecti per fascia] miniatura

Circuito a 24 vie

Calibrazione JIS di tipo K

Temperatura massima 120C

Applicazioni tipiche

OEM

Costruttori di pannelli strumentali

Sale di controllo

Banc di prova e pattini

Specifications

Product Code	XE-7607-001
General Description	All fascia mounting sockets are polarised by means of unequally sized pins
Thermocouple Type	K JIS
Number of Ways	24 Way
Connector Size	Miniature
Connector Type	Fascia Mounting Socket
Colour	Blue
Dimensions	H75mm x W205mm
Max. Temperature	120°C

+Positive Contact	Nickel Chromium
-Negative Contact	Nickel Alloy
Standards Met	BS EN 50212:1997. RoHS